Kenneth Roller (Services - 6) [/O=DOMINION/OU=EXCHANGE ADMINISTRATIVE GROUP From: (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=KENNE64] 7/30/2015 9:22:55 PM Sent: To: John DeBarbieri [J.DeBarbieri@gaiconsultants.com]; Scott Quinlan [s.quinlan@gaiconsultants.com]; John Klamut [J.Klamut@gaiconsultants.com] CC: Doug Wight (Generation - 34) [/O=DOMINION/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=Dougla7]; Jeffrey R Marcell (Generation - 3) [/O=DOMINION/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=Jeff136]; Michael A Glagola (Generation - 34) [/O=DOMINION/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=Mic0210]; Oula K Shehab-Dandan (Services - 6) [/O=DOMINION/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=Oula001]; Amelia H Boschen (Services - 6) [/O=DOMINION/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=Amelia2] Subject: RE: Project: C150132.00 - DOM - Possum Point PS CCB Pond Closures - File Transfer - Possum Point - Ind WW Permit Mod Package Attachments: PP Draft Conceptural Engineering Report 30 July 2015.docx Scott and John, Attached are my comments on the draft application addendum for Possum Point. I am OK with the actual application forms so my comments are mostly limited to the conceptual engineering report.

Thanks,

Ken

From: John DeBarbieri [mailto:J.DeBarbieri@gaiconsultants.com]

Sent: Monday, July 27, 2015 1:09 PM **To:** Kenneth Roller (Services - 6)

Subject: Project: C150132.00 - DOM - Possum Point PS CCB Pond Closures - File Transfer - Possum Point - Ind WW

Permit Mod Package

IMPORTANT: Click a link below to access files associated with this transmittal that came in through the GAI Consultants, Inc. Info Exchange web site. The attached file contains the transmittal details.

Download all associated files

Sign in to the GAI Consultants, Inc. Info Exchange site

Additional links:

Configure cloud storage delivery

Reply to All

Project Name: C150132.00 - DOM - Possum Point PS CCB Pond Closures

Project Number: C150132.00

From: John DeBarbieri (GAI Consultants, Inc.)

To: Michael Glagola (Dominion Virginia Power); Amelia Boschen; kenneth.roller@dom.com;

Doug Wight (Dominion Resource Services); Jeffrey R Marcell (Dominion Virginia Power)

CC: John Klamut (GAI Consultants, Inc.); Scott Quinlan (GAI Consultants, Inc.)

Subject: Possum Point - Ind WW Permit Mod Package

Sent via: Info Exchange Expiration Date: 8/10/2015 Remarks: Kenneth,

The VPDES Industrial WW Permit Modification Package is enclosed. The same personnel/information is utilized, where applicable, as provided to GAI in the Station's Permit Reissuance Application as well as the 2014 VPDES Permit

Modification.

The Conceptual Engineering Report to accompany the Modification Package is

under review and finalization and is to be issued on Wednesday, 7/29.

Sincerely, Scott Quinlan

Transferred Files

NAME	TYPE	DATE	TIME	SIZE
001+002 - Dewatering and Contact.pdf	PDF File	7/27/2015	10:37 AM	2,246 KB
004 - Dewatering and Contact.pdf	PDF File	7/27/2015	10:38 AM	2,237 KB
<u>004.pdf</u>	PDF File	7/27/2015	10:38 AM	4,856 KB
005 - Dewatering and Contact.pdf	PDF File	7/27/2015	10:39 AM	2,100 KB
005 - Final Configuration.pdf	PDF File	7/27/2015	10:40 AM	1,997 KB
005 - Pond D Comingled Waters.pdf	PDF File	7/27/2015	10:40 AM	2,237 KB
<u>501.pdf</u>	PDF File	7/27/2015	10:41 AM	1,996 KB
<u>502.pdf</u>	PDF File	7/27/2015	10:41 AM	4,791 KB
C150132-00-047-00-P-A2-001_TOPO.pdf	PDF File	7/13/2015	2:46 PM	2,305 KB
EPAForm3510-1.pdf	PDF File	7/27/2015	9:53 AM	924 KB
EPAForm3510-2Cmod_Application	PDF File	7/27/2015	10:11 AM	2,780 KB
<u>Form.pdf</u>				
Modification Request Letter.docx	Microsoft Office Word	7/27/2015	11:55 AM	25 KB
	Document			
PP-0-SP-STA-600 (FINAL	PDF File	7/27/2015	12:54 PM	100 KB
CONFIGURATION).pdf				
PP-0-SP-STA-600 (INTERIM	PDF File	7/27/2015	11:04 AM	105 KB
CONFIGURATION).pdf				
Public Notice Billing Authorization	Microsoft Office Word 97 - 2003	7/27/2015	9:01 AM	27 KB
<u>Form.doc</u>	Document			
WaterPermitFeeForm.pdf	PDF File	3/5/2015	1:53 PM	119 KB

